

Kleurpigment voor Olie Color Pigment for Oil

Technical Data Sheet



Application:

RIGO Verffabriek Colour pigment for oil is a colour paste used to easily add colour to ROYL Oil (#4550, #4560, #4561 and #4562), ROYL Maintenance Oil (#9090 and #9091) (with the exception of Maintenance Oil Water Based) and SKYLT Recoatable Colour Oil 2K (#5050, #5051 and #5052).

View the ROYL or SKYLT MANUAL for extensive usage instructions and an explanation of the symbols. Feel free to call us or send a message to 06 - 47 05 78 24 if you have any specific questions.

The values below apply to the finished product. This information is based on standard drying conditions of 20 °C, a relative humidity of 65% and sufficient ventilation.

Odour	N.A.
Content	Variable, the contents differ for each colour
	number (between 25 and 125 ml)
VOC content	*** g/l, differs per colour
Mixing ratio	At most 1 pouch of Colour Pigment per litre of oil in:
	- #4561, #4562, #5051 and #5052
	At most 1/2 pouch of Colour Pigment per litre of oil in:
	- #9090 and #9091

The information provided through this document was carefully compiled and correct on the date of issue. Any changes will be published as part of newer versions without notice. No rights may be derived from the information in this document; The user should test the equipment for suitability for the intended application themselves.

	At most 2 pouches of Colour Pigment per litre
	of oil in:
	- #4550, #4560 and #5050
Usable after	View the product information of the end
	product to be used
Packaging	Pouch (125 ml)
Available colours	Available in 23 colours (can be combined into 39
	standard colours)
Shelf life	In closed packaging, shelf life of at least 2
	years. Limited shelf life after opening.

The technical specifications above apply to colour pigment for oil in standard conditions.

Available in the following type(s) of packaging: Pouch (125 ml)

01 for 1L #0101: pouch; product no. 5532011; EAN 8716544041394 02 for 1L #0102: pouch; product no. 5532021; EAN 8716544041400 03 for 1L #0103: pouch; product no. 5532031; EAN 8716544041417 08 for 1L #0108: pouch; product no. 5532041; EAN 8716544041424 09 for 1L #0109: pouch; product no. 5532051; EAN 8716544041431 10 for 1L #0110: pouch; product no. 5532061; EAN 8716544041448 11 for 1L #0111: pouch; product no. 5532071; EAN 8716544041455 12 for 1L #0112: pouch; product no. 5532081; EAN 8716544041462 13 for 1L #0113: pouch; product no. 5532091; EAN 8716544041479 14 for 1L #0114: pouch; product no. 5532101; EAN 8716544041486 15 for 1L #0115: pouch; product no. 5532111; EAN 8716544041493 16 for 1L #0116: pouch; product no. 5532121; EAN 8716544041509 17 for 1L #0117: pouch; product no. 5532131; EAN 8716544041516 18 for 1L #0118: pouch; product no. 5532141; EAN 8716544041523 19 for 1L #0119: pouch; product no. 5532151; EAN 8716544041530 20 for 1L #0120:pouch; product no. 5532161; EAN 8716544041547

The information provided through this document was carefully compiled and correct on the date of issue. Any changes will be published as part of newer versions without notice. No rights may be derived from the information in this document; The user should test the equipment for suitability for the intended application themselves.

21 for 1L #0121: pouch; product no. 5532171; EAN 8716544041554
22 for 1L #0122: pouch; product no. 5532181; EAN 8716544041561
23 for 1L #0123: pouch; product no. 5532191; EAN 8716544041578
25 for 1L #0125: pouch; product no. 5532201; EAN 8716544041585
26 for 1L #0126: pouch; product no. 5532211; EAN 8716544041592
27 for 1L #0127: pouch; product no. 5532221; EAN 8716544041608
28 for 1L #0128: pouch; product no. 5532231; EAN 8716544041615

Please view the SAFETY INFORMATION SHEET for health and safety information.

The information provided through this document was carefully compiled and correct on the date of issue. Any changes will be published as part of newer versions without notice. No rights may be derived from the information in this document; The user should test the equipment for suitability for the intended application themselves.